

**SECTION 1: SUBSTANCE IDENTIFICATION AND COMPANY INFORMATION.**

**1.1 PRODUCT IDENTIFICATION**

PRODUCT NAME:	<b>NEOSAN LABS AIR DETOX COMBINED FOR USE.</b>
BRAND:	NEOSAN LABS AIR DETOX PART A COMBINED WITH PART B.
COMPOSITION:	Biodegradable mixture of cationic surfactants, non-ionic surfactants, hydrogen peroxide, water and inert ingredients.
NAME OF THE SUBSTANCE 1:	Compound of quaternary ammonium ion compounds, alkyl dimethyl benzyl chloride (50% C14, 40% C12, 10% C16) ammonium
CE NUMBER (EINECS):	270-325-2
CAS NUMBER:	68424-85-1
NAME OF SUBSTANCE 2:	Hydrogen Peroxide
CE NUMBER (EINECS)	231-765-0
CAS NUMBER	7722-84-1

**1.2 IDENTIFIED RELEVANT USES OF THE SUBSTANCE OR MIXTURE AND INADVISABLE USES**

<b>IDENTIFIED RELEVANT USES OF THE SUBSTANCE</b>	<p>Product used: <b>NEOSAN LABS AIR DETOX PART A</b> (50%) combined with <b>NEOSAN LABS AIR DETOX PART B</b> (50%) for its application; mix done by the applicator in a fogging or spraying device.</p> <p>This product is a Cleaner, Deodorizer, Chemical &amp; Volatile Organic Compounds (VOCs) Neutralizer. Formulated for professional use in commercial and residential applications. It is formulated to clean indoor environments from all chemical pollutants. This product should not come in contact with foodstuffs or animal feed. If the product is used on surfaces in contact with food, it is necessary to rinse the surfaces with clean water before being in contact with food. This product deodorizes areas where odors can be a problem, such as basements, restrooms and all other places exposed to odors. When using this product with a cold fogger or any other ULV equipment, all Personal Protection Equipment (PPE) must be used. Please read all instructions before using this product. For a complete list of applications, see section 16</p>
<b>INADVISABLE USES</b>	No information available.

**1.3 PROVIDER OF THE SAFETY DATA SHEET**

<b>PROVIDER:</b>	<p><b>NEOSAN LABS Inc.</b> 609 Broadway Blvd NE ALBUQUERQUE, NEW MEXICO 87102 USA contact@neosanlabs.com</p>
------------------	--------------------------------------------------------------------------------------------------------------------------

**1.4 EMERGENCY TELEPHONE**


	<p>Information updated of the product's composition has been sent to the Toxicology Information Service (National Institute of Toxicology and Forensic Sciences). In case of poisoning, call Toxicology Information Service</p>
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>POISON CENTER</b>	<b>+1 800-222-1222</b>
----------------------	------------------------

**SECTION 2: HAZARDS IDENTIFICATION.**

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	
<b>CLASSIFICATION BY THE REGULATION CE N.° 1272/2008 (CLP)</b>	Acute Tox. 4-Acute Toxicity Category 4 - H302/332 Skin Corr 2 - Corrosion /skin irritation Category 2 - H315 Eye Dam 2 - Serious eye damage / eye irritation Category 2 - H319
<b>CLASSIFICATION BY THE DIRECTIVE 67/548/CEE (to see the full text of the risk phrases, refer to SECTION 16)</b>	Harmful - R20/22 Irritant - R36/38

**2.2 LABEL ELEMENTS**

<p align="center"><i>Labelled by the regulation (CE) n.° 1272/2008 [CLP]</i>  <i>Hazard pictograms</i></p> <div align="center" data-bbox="820 618 1209 999">  </div> <p><i>Warning Words:</i>  <b>Warning</b></p> <p><i>Indications of Warning:</i>  H302/332 - Harmful if swallowed or inhaled  H315 - Causes skin irritation  H319 - Causes serious eye irritation</p> <p><i>Precautionary statements:</i>  P 261 - Avoid breathing mist / vapours  P 280 - Wear gloves (resistant to chemical products [butyl rubber, nitrile and neoprene, polyethylene, polyvinyl chloride]) / protective clothing / eye protection (face shield or safety glasses)  P 284 - Wear respiratory protective equipment (air respirator or SCBA)  P 301/312 - IF SWALLOWED: Call the TOXICOLOGY INFORMATION SERVICE or doctor if feeling unwell.  P 304/340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  P 312 - Call the TOXICOLOGY INFORMATION SERVICE or doctor if feeling unwell.  P 305/351/338 - IF CONTACT WITH EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if using and easy to remove. Continue rinsing.  P 322 - Specific Measures  (See IF SWALLOWED: If victim is able to swallow, give water or milk quickly. DO NOT induce vomiting unless instructed to do so from the toxicology service or a Physician. Do not introduce anything in the mouth to an unconscious person. Use of gastric lavage may be contraindicated because of the high probability</p>	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

of mucosal lesions.  
P 337/313 - If eye irritation persists: consult a Physician.

**OTHER HAZARDS** *Unknown*

**2.3. HAZARD RATING (NFPA)**

**HEALTH: 1 / FLAMMABILITY: 0 / REACTIVITY: 0**

**SECTION 3: COMPOUND/INFORMATION ABOUT COMPOUNDS**

**3.1 SUBSTANCE**

<i>Type of identifier of the product by article 18, paragraph 2, by the regulation (CE) n.°1272/200</i>	<i>Identification number</i>	<i>Identification name</i>	<i>Content mass% (or grams)</i>	<i>CE number:</i>
CAS Number	68424-85-1	Compound of quaternary ammonium ion compounds, alkyl dimethyl benzyl chloride (50% C14, 40% C12, 10% C16) ammonium.	1-3% (m/m)	270-325-2
CAS Number	7722-84-1	Hydrogen peroxide	2-4% (m/m)	231-765-0

**NEOSAN LABS AIR DETOX COMBINED FOR USE:** Biodegradable mixture of cationic, non-ionic surfactants hydrogen peroxide, and inert ingredients.  
1-3% of the quaternary ammonium ion compounds, chlorides, alkyl dimethyl benzyl ammonium, 2-4% of hydrogen peroxide, and 97-93% inert ingredients.

**SECTION 4: FIRST AID MEASURES**

**4.1 DESCRIPTION OF FIRST AID**

IN CASE OF EYE CONTACT:	Flush cautiously with running water for a period of between 15 and 20 minutes. Remove contact lenses, if they are easy to remove. Continue rinsing. If eye irritation persists: consult a Physician.
IN CASE OF SKIN CONTACT:	Take off contaminated clothing and wash before reuse. Wash immediately and abundantly for a period of between 15 and 20 minutes. If skin irritation persists: consult a Physician.
IF INHALED:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call the TOXICOLOGY INFORMATION SERVICE or a Physician if feeling unwell.
IN CASE OF INGESTION:	Call the TOXICOLOGY INFORMATION SERVICE or a Physician if feeling unwell. Needs specific measures. If victim is able to swallow, give water or milk quickly. DO NOT induce vomiting unless instructed to do so from the toxicology service or a doctor. Do not introduce anything in the mouth to an unconscious person. Use of gastric lavage may be contraindicated because of the high probability of mucosal lesions.

**4.2 MAIN SYMPTOMS AND EFFECTS ACUTE AND DELAYED**

IN CASE OF EYE CONTACT: May cause severe eye irritation

IN CASE OF SKIN CONTACT:	May cause skin irritation.
IF INHALED:	Shortness of breath. May be irritating to mucous membranes and upper respiratory tract.
IN CASE OF INGESTION:	May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May be harmful if swallowed.
<b>4.3 MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED IMMEDIATELY</b>	
<b>MEDICAL NOTE:</b>	IF SWALLOWED: The use of gastric lavage may be contraindicated due to the high probability of injury to the mucous. Treat symptomatically and supportively

<b>SECTION 5: FIRE FIGHTING MEASURES</b>
<b>5.1 EXTINGUISHING MEASURES</b>
Same as those used for surrounding fire.
<b>5.2 SPECIFIC HAZARDS FROM THE SUBSTANCE OR MIXTURE:</b>
Non-flammable substance. No unusual risks of fire and explosion. In case of fire, the thermal decomposition may give off nitrous oxides and ammoniac vapours and carbon dioxide during the fire.
<b>5.3 PERSONAL RECOMMENDATIONS FOR FIRE FIGHTING:</b>
There is no special procedure for firefighting.

<b>SECTION 6: MEASURES IN CASE OF ACCIDENTAL RELEASE</b>
<b>6.1 PERSONAL PRECAUTIONS, EQUIPMENT PROTECTION AND EMERGENCY PROCEDURES:</b>
Avoid contact with skin and eyes. Wear protection glasses (face shield or safety glasses). Wear protective clothing and gloves resistant to chemicals (butyl rubber, nitrile and neoprene, polyethylene; polyvinyl chloride). Consult the advice in section 8.
<b>6.2 PRECAUTIONS RELATIVE TO THE ENVIRONMENT</b>
Do not discharge waste into drains or watercourses. Dispose of waste according to local regulations. Throw away clothing and other absorbent materials that have been impregnated or strongly contaminated by the product, adequately according to local regulations.
<b>6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING</b>
Contain spillage, flush with large amount of water. Avoid large discharges; sorbents may be used. Create dams with sand or land to contain the spill.

<b>SECTION 7: HANDLING AND STORAGE</b>	
<b>7.1 PRECAUTIONS FOR SAFE HANDLING</b>	
RECOMMENDATIONS OF GENERAL MEASURES OF HYGIENE AT WORK	Do not eat, drink nor smoke while using the product. Wash hands with soap and water thoroughly after handling. For cleaning and maintenance of protective clothing, use detergent and hot water. Keep and wash protective clothing separately from other laundry. Use in a well-ventilated area.

<b>7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY POSSIBLE INCOMPATIBILITIES</b>
<p>Keep away from food and beverages, including those for animals.          Store in a dry place. The storage temperature can be between -21°F / -6°C and +71°C / +160°F. The optimum storage temperature is between 50° F / 10° C and 119° F / 48° C.          Keep out of anionic materials.          In case of fire, do not breathe smoke.</p>
<b>7.3 FINAL(S) SPECIFIC(S) USE(S)</b>
Unknown

<b>SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION</b>	
<b>8.1 CONTROL PARAMETERS</b>	
<p><b>PART A- SUBSTANCES:</b> The data of this substances are not available: quaternary ammonium ion compounds, alkyl dimethyl benzyl chloride (50% C14, 40% C12, 10% C16) ammonium (CAS Number: 68424-85-1)          VL 8 hours: ppm not established - mg/m3 not established          STEL: ppm not established - mg/m3 not established</p> <p><b>PART B- SUBSTANCE:</b> Hydrogen peroxide.          CAS number: 7722-84-1          VME: 1ppm – 1,5 mg/m3.</p>	
<b>8.2 EXPOSURE CONTROLS</b>	
<b>Eye protection / face:</b>	Wear eye protection (face shield or safety glasses needs).
<b>Skin protection:</b>	Use clothes for protection (long sleeve shirt, long pants, shoes and socks)
<b>Hand protection:</b>	Wear resistant gloves when using chemical products resistant (butyl rubber, nitrile and neoprene, polyethylene, polyvinyl chloride).
<b>Respiratory protection:</b>	Atmospheric levels should be maintained below the exposure limits listed on the TLV by using engineering controls. If not feasible, use supplied air respirator, during spraying, wear a supplied air respiratory mask (with approval TC-10C MSHA / NIOSH) or SCBA (with approval n. ° TC13-F MSHA / NIOSH).
<b>Local exhaust:</b>	Provide local exhaust, normal dilution ventilation is acceptable. Refer to Industrial Ventilation by ACGIH for a manual of recommended practices.

<b>SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES</b>		
<b>APPEARANCE:</b>	Light yellowish clear liquid	
<b>ODOR:</b>	Soap	
<b>COLOR:</b>	Light yellowish	
<b>EVAPORATION RATE:</b>	1 (water= 1)	
Date of Document: 02.07.18	SECURITY DATA SHEET 2018/CE	Page 5 of 9

<b>INFLAMMABILITY:</b>	Not flammable
<b>VAPOR PRESSURE:</b>	Unknown
<b>SOLUBILITY IN WATER:</b>	Complete
<b>DENSITY:</b>	1.06
<b>CONCENTRATE pH:</b>	9.8
<b>BOILING POINT:</b>	100 °C (212°F)
<b>EXPLOSIVE PROPERTIES:</b>	No risk of explosion
<b>OXIDIZING PROPERTIES:</b>	Non-oxidising

<b>SECTION 10: STABILITY AND REACTIVITY</b>	
<b>10.1 REACTIVITY:</b>	
There is no known risk of reactivity.	
<b>10.2 CHEMICAL STABILITY:</b>	
The product is stable. No known hazardous reactions.	
<b>10.3 POSSIBILITY OF HAZARDOUS REACTIONS:</b>	
There is no risk of polymerization.	
<b>10.4 CONDITIONS TO AVOID:</b>	
Keep away from food and beverages, including those for animals. Store in a dry place. The storage temperature can be between -21°F / -6°C and +71°C / +160°F. The optimum storage temperature is between 50° F / 10° C and 119° F / 48° C.	
<b>10.5 INCOMPATIBLE MATERIALS:</b>	
Anionic materials.	
<b>10.6 HAZARDOUS DECOMPOSITION PRODUCTS:</b>	
In case of fire, thermal decomposition can release nitrogen oxides, ammonia vapor and carbon dioxide.	

<b>SECTION 11: TOXICOLOGIC INFORMATION</b>	
<b>11.1 INFORMATION ABOUT TOXICOLOGICAL EFFECTS</b>	
<b>Acute oral toxicity</b>	Harmful if swallowed. High likelihood of mucosal lesions.
<b>Acute inhalation toxicity</b>	Harmful if inhaled. Shortness of breath.
<b>Skin Irritation</b>	May cause skin irritation.
<b>Eye irritation</b>	May cause severe eye irritation
<b>Carcinogenicity:</b>	This product is not listed in IARC Monographs, the NTP 6th Annual Report on the current SCGIC TLV's as a carcinogen or potential carcinogen.

<b>SECTION 12: ECOLOGICAL INFORMATION</b>	
<b>12.1 TOXICITY:</b>	
Information not available	
<b>12.2 PERSISTENCES AND DEGRADABILITY:</b>	
Information not available	
<b>12.3 POTENTIAL OF BIOACCUMULATION:</b>	
Information not available	
<b>12.4 MOBILITY IN FLOOR:</b>	
Information not available	
<b>12.5 RESULTS OF PBT AND VPVB:</b>	
Information not available	
<b>12.6 OTHER ADVERSE EFFECTS:</b>	
Information not available	
<b>12.7 OTHER INFORMATION:</b>	
Ecological data are not available. Avoid product spills into drains, floor or watercourses.	

<b>SECTION 13: DISPOSAL CONSIDERATIONS</b>	
<b>13.1 METHODS FOR WASTE TREATMENT</b>	
<b>DISPOSAL OF WASTE PRODUCT.</b>	Do not discharge into drains or waterways. To not pollute the ground, avoid release to the environment. Immediately after emptying the contents, rinse three times or pressure rinse (or equivalent). The triple rinsing should be done as follows. Empty the remaining contents of container and drain for 10 seconds. Fill a quarter of the container with water container. Shake for 10 seconds. Pour into a water tank for later disposal wiped. Let drain for 10 seconds. Repeat two or more times. The elimination of waste is under the owner responsibility. Given the small rate of substance concentration the product is not considered dangerous. Dispose contents properly according to local regulations.
<b>CONTAMINATED CONTAINER DISPOSAL</b>	Do not reuse or refill container. Save the container label. Contaminated packaging can be eliminated as non-hazardous waste under the full responsibility of the owner of the waste. Dispose of packaging properly with local, state, national and federal environmental control regulations. Nomenclature: 01 15 02 plastic packaging waste.
<b>LOCAL PROVISIONS.</b>	Remove material or dispose in accordance with all applicable federal, state, national and local regulations

<b>SECTION 14: TRANSPORT INFORMATION.</b>		
Date of Document: 02.07.18	SECURITY DATA SHEET 2018/CE	Page 7 of 9



**SECURITY DATA SHEET**  
**NEOSAN LABS AIR DETOX COMBINED FOR USE**

**OTHER RELEVANT INFORMATION:**

The product is not classified as hazardous for any mode of transportation.  
You do not need any special handling procedure.  
The product is non-hazardous under DOT and IATA Regulations.

**SECTION 15: REGULATORY INFORMATION.**

**15.1 REGULATION AND LEGISLATION IN SAFETY, HEALTH AND ENVIRONMENT SPECIFIC SUBSTANCE OR MIXTURE**

**Classification by:** Directive 67/548/EC (Hazardous substances) and their adaptations.  
Also taken into account Regulation (EC) n. ° 1272/2008, and their modifications (453/2010 Annex I).

**15.2 CHEMICAL SAFETY ASSESSMENT**

Information not available

**SECTION 16: OTHER INFORMATION**

**COMPLETE LIST OF USES**

Cleaner  
Deodorizer  
Chemical & Volatile Organic Compound neutralizer

This product is a Cleaner, Deodorizer, Chemical & Volatile Organic Compounds (VOCs) Neutralizer. Formulated for professional use in commercial and residential applications. It is formulated to clean indoor environments from all chemical pollutants. This product should not come in contact with foodstuffs or animal feed. If the product is used on surfaces in contact with food, it is necessary to rinse the surfaces with clean water before being in contact with food. This product deodorizes areas where odors can be a problem, such as basements, restrooms and all other places exposed to odors. When using this product with a cold fogger or any other ULV equipment, all Personal Protection Equipment (PPE) must be used. Please read all instructions before using this product.

**Deodorizer & Air Freshner:** NeoSan Labs Air Detox is an effective deodorant for locations infected by pet odors, food putrefaction odors, chemical odors, smells of smoke and all other odors. If you need to apply on textiles, test a small area, prior to spray NeoSan Labs Air Detox. Mix equal parts of NeoSan Labs Air Detox Part A and Part B and apply to the surface and the air volume until odors are eliminated. Allow the product to act on wet surfaces for at least 10 minutes. Allow the product to air dry.

**Chemical Sensitivity:** NeoSan Labs Air Detox is a chemical and volatile organic compound (VOCs) neutralizer. Applied indoor for an Indoor air quality treatment, reducing risks of asthma, allergies, and chemical sensitivity (Chemical Sensitivity is also known as Environmental Illness or Sick Building Syndrome. It is defined by the ADA (American with Disabilities Act) as an inability to tolerate an environmental chemical or class of foreign chemicals. It develops from exposure to substances in the environment and may result in intolerance to even very





**SECURITY DATA SHEET  
NEOSAN LABS AIR DETOX COMBINED FOR USE**

low-level exposure to chemicals).

**FULL TEXT OF RISK PHRASES**

R20/22- Harmful by ingestion and inhalation

R36/38 - Causes serious eye irritation and skin irritation

**This SDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal handling procedures. Data supplied is for use only in connection with occupational safety and health.**

**The information contained herein has been compiled from sources considered by NEOSAN LABS Inc. to be dependable and is accurate to the best of the Company's knowledge. No guarantee of accuracy is made. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions and disposal considerations. The information relates to the specific materials designated herein and does not relate to the use in combination with any other material or other process. The listed hazard data herein may reflect the hazards related to the formulation as a whole or to individual components at 100% concentration. Therefore, certain warnings and hazard statements contained on this MSDS may not be applicable to or included in the package labelling. SARA requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372. This Information must be included in all MSDS's that are copied and distributed for this material. Components present in this product at a level which could require reporting under the statute are: NONE**